



SETO CRANE FRAME

The SETO crane frame, made of galvanized steel, for attaching spotlights to construction cranes is suitable for profile diameters of 40 - 130 mm. The locking pins with cotter-pins enable quick and safe installation at any time.

A perforated plate on the mounting bracket also enables inclined use of the spotlights.



PRODUCT FEATURES

- Universally suitable for most cranes
- Additional protection by locking pins with cotter-pin
- Weatherproof
- High quality workmanship, designed for heavy use


TECHNICAL DATA

General data	
Dimensions (W x H x T)	700 x 1200 x 300 mm
Material	T-profile 40 mm, galvanized steel
Weight	approx. 15,6 kg
Item no:	1410993442


DIMENSIONS



Installation option A - 10° inclined left



Mounting option B - horizontal




Installation option A - 10° inclined right

The holes in the mounting bracket allow the spotlights to be inclined around the longitudinal axis in the range of $\pm 10^\circ$. The screw-hole circle diameters are 240 mm and 380 mm and are therefore perfectly matched to the use of the **SETO CRANE FRAME** with the **ALDEBARAN CRANEMASTER** or the spotlights from the **SETO CRANESTAR SERIES**.

The adjacent drawings illustrate the flexible installation options.

The SETO CRANESTAR bracket is shown in various positions as an example (yellow).

ABMESSUNGEN



DETAILS

